

2024 Certified Levies- Phelps County

| Levy Code | Levy Description | Levy |
|-----------|--------------------------|--------|
| CO | County Revenue | 0.0834 |
| RB | Road & Bridge | 0.0922 |
| ST | State | 0.0300 |
| DD | Dev. Disabled | 0.0692 |
| SRTX | R/E Commercial Surtax | 0.3800 |
| SCH:31 | Rolla 31 School | 4.3810 |
| SCH:R1 | St. James R-1 School | 3.6500 |
| SCH:R2 | Newburg R-2 School | 4.1934 |
| SCH:R3 | Phelps Co. R-3 School | 2.9300 |
| SCH:R16 | Dixon R-1 School | 3.0200 |
| SCH:65 | Dent/Phelps R-3 School | 2.7500 |
| SCH:81 | Licking R-8 School | 2.7500 |
| CIT:0 | County | 0.0000 |
| CIT:RO | City of Rolla | 0.7202 |
| CIT:ST | City of St. James | 0.7389 |
| CIT:NE | City of Newburg | 1.0603 |
| CIT:ED | City of Edgar Springs | 0.5355 |
| CIT:DO | City of Doolittle | 0.2796 |
| FIR:0 | No Fire District | 0.0000 |
| FIR:DI | Dixon Rural Fire | 0.2543 |
| FIR:DO | Doolittle Rural Fire | 0.4757 |
| FIR:RO | Rolla Rural Fire | 0.4480 |
| FIR:DU | Duke Fire | 0.2604 |
| FIR:ST | St. James Fire | 0.2440 |
| FIR:ED | Edgar Springs Rural Fire | 0.3000 |
| AMB:0 | No Ambulance District | 0.0000 |
| AMB:ST | St. James Ambulance | 0.0000 |
| AMB:DI | Dixon Ambulance | 0.2934 |

| RE Levy Group | School | City | Fire | Ambulance | Total Levy |
|---------------|---------|--------|--------|-----------|------------|
| 31/0/DO/0 | SCH:31 | CIT:0 | FIR:DO | AMB:0 | 5.1315 |
| 31/0/RO/0 | SCH:31 | CIT:0 | FIR:RO | AMB:0 | 5.1038 |
| 31/0/RO/ST | SCH:31 | CIT:0 | FIR:RO | AMB:ST | 5.1038 |
| 31/0/ST/0 | SCH:31 | CIT:0 | FIR:ST | AMB:0 | 4.8998 |
| 31/0/ST/ST | SCH:31 | CIT:0 | FIR:ST | AMB:ST | 4.8998 |
| 31/RO/0/0 | SCH:31 | CIT:RO | FIR:0 | AMB:0 | 5.3760 |
| 65/0/RO/0 | SCH:65 | CIT:0 | FIR:RO | AMB:0 | 3.4728 |
| 81/0/DU/0 | SCH:81 | CIT:0 | FIR:DU | AMB:0 | 3.2852 |
| R1/0/RO/0 | SCH:R1 | CIT:0 | FIR:RO | AMB:0 | 4.3728 |
| R1/0/RO/ST | SCH:R1 | CIT:0 | FIR:RO | AMB:ST | 4.3728 |
| R1/0/ST/ST | SCH:R1 | CIT:0 | FIR:ST | AMB:ST | 4.1688 |
| R1/ST/ST/ST | SCH:R1 | CIT:ST | FIR:ST | AMB:ST | 4.9077 |
| R16/0/0/DI | SCH:R16 | CIT:0 | FIR:0 | AMB:DI | 3.5882 |
| R16/0/DI/DI | SCH:R16 | CIT:0 | FIR:DI | AMB:DI | 3.8425 |
| R16/0/DO/DI | SCH:R16 | CIT:0 | FIR:DO | AMB:DI | 4.0639 |
| R2/0/DI/0 | SCH:R2 | CIT:0 | FIR:DI | AMB:0 | 4.7225 |
| R2/0/DI/DI | SCH:R2 | CIT:0 | FIR:DI | AMB:DI | 5.0159 |
| R2/0/DO/0 | SCH:R2 | CIT:0 | FIR:DO | AMB:0 | 4.9439 |
| R2/0/DU/0 | SCH:R2 | CIT:0 | FIR:DU | AMB:0 | 4.7286 |
| R2/0/ED/0 | SCH:R2 | CIT:0 | FIR:ED | AMB:0 | 4.7682 |
| R2/0/RO/0 | SCH:R2 | CIT:0 | FIR:RO | AMB:0 | 4.9162 |
| R2/DO/DO/0 | SCH:R2 | CIT:DO | FIR:DO | AMB:0 | 5.2235 |
| R2/NE/DO/0 | SCH:R2 | CIT:NE | FIR:DO | AMB:0 | 6.0042 |
| R3/0/DO/0 | SCH:R3 | CIT:0 | FIR:DO | AMB:0 | 3.6805 |
| R3/0/DU/0 | SCH:R3 | CIT:0 | FIR:DU | AMB:0 | 3.4652 |
| R3/0/ED/0 | SCH:R3 | CIT:0 | FIR:ED | AMB:0 | 3.5048 |
| R3/0/RO/0 | SCH:R3 | CIT:0 | FIR:RO | AMB:0 | 3.6528 |
| R3/ED/ED/0 | SCH:R3 | CIT:ED | FIR:ED | AMB:0 | 4.0403 |

| PP Levy Group | School | City | Fire | Ambulance | Total Levy |
|---------------|---------|--------|--------|-----------|------------|
| 31/0/DO/0 | SCH:31 | CIT:0 | FIR:DO | AMB:0 | 5.1315 |
| 31/0/RO/0 | SCH:31 | CIT:0 | FIR:RO | AMB:0 | 5.1038 |
| 31/0/RO/ST | SCH:31 | CIT:0 | FIR:RO | AMB:ST | 5.1038 |
| 31/0/ST/0 | SCH:31 | CIT:0 | FIR:ST | AMB:0 | 4.8998 |
| 31/0/ST/ST | SCH:31 | CIT:0 | FIR:ST | AMB:ST | 4.8998 |
| 31/RO/0/0 | SCH:31 | CIT:RO | FIR:0 | AMB:0 | 4.6558 |
| 65/0/RO/0 | SCH:65 | CIT:0 | FIR:RO | AMB:0 | 3.4728 |
| 81/0/DU/0 | SCH:81 | CIT:0 | FIR:DU | AMB:0 | 3.2852 |
| R1/0/RO/0 | SCH:R1 | CIT:0 | FIR:RO | AMB:0 | 4.3728 |
| R1/0/RO/ST | SCH:R1 | CIT:0 | FIR:RO | AMB:ST | 4.3728 |
| R1/0/ST/ST | SCH:R1 | CIT:0 | FIR:ST | AMB:ST | 4.1688 |
| R1/ST/ST/ST | SCH:R1 | CIT:ST | FIR:ST | AMB:ST | 4.1688 |
| R16/0/0/DI | SCH:R16 | CIT:0 | FIR:0 | AMB:DI | 3.5882 |
| R16/0/DI/DI | SCH:R16 | CIT:0 | FIR:DI | AMB:DI | 3.8425 |
| R16/0/DO/DI | SCH:R16 | CIT:0 | FIR:DO | AMB:DI | 4.0639 |
| R2/0/DI/0 | SCH:R2 | CIT:0 | FIR:DI | AMB:0 | 4.7225 |
| R2/0/DI/DI | SCH:R2 | CIT:0 | FIR:DI | AMB:DI | 5.0159 |
| R2/0/DO/0 | SCH:R2 | CIT:0 | FIR:DO | AMB:0 | 4.9439 |
| R2/0/DU/0 | SCH:R2 | CIT:0 | FIR:DU | AMB:0 | 4.7286 |
| R2/0/ED/0 | SCH:R2 | CIT:0 | FIR:ED | AMB:0 | 4.7682 |
| R2/0/RO/0 | SCH:R2 | CIT:0 | FIR:RO | AMB:0 | 4.9162 |
| R2/DO/DO/0 | SCH:R2 | CIT:DO | FIR:DO | AMB:0 | 4.9439 |
| R2/NE/DO/0 | SCH:R2 | CIT:NE | FIR:DO | AMB:0 | 6.0042 |
| R3/0/DO/0 | SCH:R3 | CIT:0 | FIR:DO | AMB:0 | 3.6805 |
| R3/0/DU/0 | SCH:R3 | CIT:0 | FIR:DU | AMB:0 | 3.4652 |
| R3/0/ED/0 | SCH:R3 | CIT:0 | FIR:ED | AMB:0 | 3.5048 |
| R3/0/RO/0 | SCH:R3 | CIT:0 | FIR:RO | AMB:0 | 3.6528 |
| R3/ED/ED/0 | SCH:R3 | CIT:ED | FIR:ED | AMB:0 | 4.0403 |